

The Meat Market  
of Milton LLC.


Russ Grover

329 S. John Paul Rd  
Milton, Wis  
608-290-2070

16' x 24' Building

10' From South Lot Line

UP TO Back Back Fence  
ON 20' x 30' Concrete Slab.



John Paul Road

Estimate From  
**MENARDS®**

Estimate # 99957  
 Page 1 of 5

ESTIMATE FOR:
Grover Properties 8201 N Oak Ridge Dr Milton, WI 53563-9355
Ph: (608) 290-2070
PROJECT DESCRIPTION: garage

STORE # 3252 JANE  
 2001 Morse Street  
 Janesville, WI 53545

PHONE: (608) 756-0535  
 FAX: (608) 756-1764

ESTIMATE BY ESTIMATE DATE	
spb	07/18/16

SKU NUMBER	DESCRIPTION	QTY TO ORDER	ADDITIONAL ITEM INFORMATION
102-1046	2X6-92 5/8" SPF WALL STUDS	77 EACH	STUD
102-1114	2X4-10' STUD/#2&BTR SPF GBL FLY RAFTER	4 EACH	CONSTR LUMBER
102-1127	2X4-12' #2&BTR SPF LATERAL BRACING	1 EACH	CONSTR LUMBER
102-1130	2X4-14' #2&BTR SPF LATERAL BRACING	1 EACH	CONSTR LUMBER
102-1761	2X6-10' STUD/#2&BTR SPF SPF FASCIA	4 EACH	CONSTR LUMBER
102-1787	2X6-14' #2&BTR SPF SPF FASCIA	2 EACH	CONSTR LUMBER
102-1790	2X6-16' #2&BTR SPF SPF FASCIA	2 EACH	CONSTR LUMBER
102-1790	2X6-16' #2&BTR SPF TOP PLATE	10 EACH	CONSTR LUMBER
102-2016	2X10-8' #2&BTR FIR SRV DOOR HEADER	2 EACH	CONSTR LUMBER
102-2155	2X12-10' #2&BTR FIR OH DOOR HEADER	2 EACH	CONSTR LUMBER
111-1024	2X6-8' AC2 GREEN TREATED ABOVE GROUND SILL PLATE	3 EACH	
111-1066	2X6-16' AC2 GREEN TREATED ABOVE GROUND SILL PLATE	3 EACH	
123-1085	1/2"-(15/32)4X8 RTD SHTG3-PLY 3-BLK STR HEADER SPACERS	1 EACH	
124-2728	7/16"-(14/32)-4'X8' OSB 3-WHITE STRIPES WALL SHEATHING	20 EACH	
124-2809	1/2"-(16/32)-4'X8' OSB 2WHT 1BLK STRPE ROOF SHEATHING	18 EACH	

This is an estimate. It is given only for general price information. This is not an offer and there can be no legally binding contract between the parties based upon this estimate. The prices stated herein are subject to change depending upon the market conditions. The prices stated on this estimate are not firm for any time period unless specifically written otherwise on this form and are not inclusive of taxes, delivery, packaging or any other charges which may or may not need to be added when ultimately purchasing products from this estimate. The availability of materials is subject to inventory conditions. **MENARDS IS NOT RESPONSIBLE FOR ANY LOSS INCURRED BY THE GUEST WHO RELIES ON PRICES SET FORTH HEREIN OR ON THE AVAILABILITY OF ANY OF THE MATERIALS STATED HEREIN.** All information on this form, other than price, has been provided by guest and Menards is not responsible for any errors in the information on this estimate, including but not limited to quantity, dimension and quality. Please examine this estimate carefully. **MENARDS MAKES NO REPRESENTATIONS, ORAL, WRITTEN OR OTHERWISE THAT THE MATERIALS LISTED ARE SUITABLE FOR ANY PURPOSE BEING CONSIDERED BY THE GUEST. BECAUSE OF WIDE VARIATIONS IN CODES, THERE ARE NO REPRESENTATIONS THAT THE MATERIALS LISTED HEREIN MEET YOUR CODE REQUIREMENTS.**

**GUEST COPY  
 PAGE 1 OF 5**

Estimate From  
**MENARDS®**

Estimate # 99957  
 Page 2 of 5

ESTIMATE FOR:
Grover Properties 8201 N Oak Ridge Dr Milton, WI 53563-9355
Ph: (608) 290-2070
PROJECT DESCRIPTION: garage

STORE # 3252 JANE  
 2001 Morse Street  
 Janesville, WI 53545

PHONE: (608) 756-0535  
 FAX: (608) 756-1764

ESTIMATE BY ESTIMATE DATE	
spb	07/18/16

SKU NUMBER	DESCRIPTION	QTY TO ORDER	ADDITIONAL ITEM INFORMATION
146-0001	SIDING REMOVAL TOOL SDNG REMOVAL TL	1 EACH	
146-0003	SNAPLOCK PUNCH TOOL SDNG SPUNCH TL	1 EACH	
146-1004	10' STARTER STRIP STARTER STRIP	VINYL LAP 8 EACH	
146-1693	D4" CEDAR CREEK .040 VINYL SIDING	HERITAGE GRAY 80 EACH	** Special Order **
146-1936	10' TIMBERCREST OSC 3/4" OUTSIDE CORNER	HERITAGE GRAY 4 EACH	
146-1952	12'6"TIMBRCRST JTRIM 3/4" J TRIM	HERITAGE GRAY 11 EACH	
146-2003	12'6" DUAL UNDERSILL FINISH TRIM	HERITAGE GRAY 4 EACH	
147-0984	3/4" EZ-CORNER 8/PACK EZ-CORNERS	HERITAGE GRAY 1 EACH	
147-4949	OC VENTSURE RIDGE VENT ROOF VENT	20' ROLL APPROX 1 EACH	
151-1789	#15 UNDERLAY ASTM -4869 ROOFING FELT	3'X144' (4 SQ) 1 EACH	
151-1830	1.95 SQ ICE&WATER BARRIER GRAN ICE&WATER	GRANULAR FACE 2 EACH	
151-1909	SHINGLE STARTER STRIP SHINGLES	7.2"X33'4" ROLL 2 EACH	
151-2367	H&R PERFORATED OC 33.7' SHINGLES	DRIFTWOOD 1 BNDL	
151-3130	OAKRIDGE SHINGLES	DRIFTWOOD 17 BNDL	
153-1248	.9GL WET OR DRY PLASTIC ROOF CEMENT	ROOF CEMENT 1 EACH	

This is an estimate. It is given only for general price information. This is not an offer and there can be no legally binding contract between the parties based upon this estimate. The prices stated herein are subject to change depending upon the market conditions. The prices stated on this estimate are not firm for any time period unless specifically written otherwise on this form and are not inclusive of taxes, delivery, packaging or any other charges which may or may not need to be added when ultimately purchasing products from this estimate. The availability of materials is subject to inventory conditions. **MENARDS IS NOT RESPONSIBLE FOR ANY LOSS INCURRED BY THE GUEST WHO RELIES ON PRICES SET FORTH HEREIN OR ON THE AVAILABILITY OF ANY OF THE MATERIALS STATED HEREIN.** All information on this form, other than price, has been provided by guest and Menards is not responsible for any errors in the information on this estimate, including but not limited to quantity, dimension and quality. Please examine this estimate carefully. **MENARDS MAKES NO REPRESENTATIONS, ORAL, WRITTEN OR OTHERWISE THAT THE MATERIALS LISTED ARE SUITABLE FOR ANY PURPOSE BEING CONSIDERED BY THE GUEST. BECAUSE OF WIDE VARIATIONS IN CODES, THERE ARE NO REPRESENTATIONS THAT THE MATERIALS LISTED HEREIN MEET YOUR CODE REQUIREMENTS.**

**GUEST COPY  
 PAGE 2 OF 5**

Estimate From  
**MENARDS®**

Estimate # 99957  
 Page 3 of 5

ESTIMATE FOR:
Grover Propeties 8201 N Oak Ridge Dr Milton, WI 53563-9355
Ph: (608) 290-2070
PROJECT DESCRIPTION: garage

STORE # 3252 JANE  
 2001 Morse Street  
 Janesville, WI 53545

PHONE: (608) 756-0535  
 FAX: (608) 756-1764

ESTIMATE BY ESTIMATE DATE	
spb	07/18/16

SKU NUMBER	DESCRIPTION	QTY TO ORDER	ADDITIONAL ITEM INFORMATION
157-1398	12' "ADE" ALUM DRIP EDGE WHITE ROOF EDGE	9 EACH	
157-1403	12' PRO FRIEZE ALUMINUM WHITE FRIEZE RUNNER	8 EACH	
157-1487	16"X12' PRO VENTED SOFFITWHITE ALUMINUM SOFFIT	7 EACH	ON SALE THRU 07/23/16
157-1554	1-1/4"X10' DRIPCAP WHITE WINDOW/DOOR DRIP CAP	2 EACH	
157-1567	6"X12' R/S FASCIA .019 WHITE ALUMINUM FASCIA	9 EACH	
157-1664	1-1/4" ALUM TRIM NAIL WHITE 1LB BOX SIDING NAILS	1 EACH	
161-1605	5-1/2" X 50' SILL SEALER FOAM SILL SEAL	2 EACH	
161-2995	9' X 100' TYPAR HOUSE WRAP HOUSE WRAP	1 EACH	
161-3222	1.88"X54.6 YARD RED SHEATHING TAPE HOUSE WRAP TAPE	1 EACH	
188-5541	16' STD 4/12 62# 2'OC2'OHPREBUILT COMMON "TRUSS" ItemNum=C11016	11 EACH	** Special Order **
188-5583	16' STD 4/12 END FRAME PREBUILT END "TRUSS" ItemNum=C11116	2 EACH	** Special Order **
191-7684	HOW TO BUILD GARAGE PLAN CAG5502 GARAGE PLAN	1 EACH	
221-3918	BB ENTRY GEORGIAN KNOB F51VGEO505 SRVDOOR LOCKSET	1 EACH	
227-1303	1/2"PLYWD CLIP STEEL 25/BPC12-BMC 10BGS/ H-CLIPS	3 EACH	

This is an estimate. It is given only for general price information. This is not an offer and there can be no legally binding contract between the parties based upon this estimate. The prices stated herein are subject to change depending upon the market conditions. The prices stated on this estimate are not firm for any time period unless specifically written otherwise on this form and are not inclusive of taxes, delivery, packaging or any other charges which may or may not need to be added when ultimately purchasing products from this estimate. The availability of materials is subject to inventory conditions. **MENARDS IS NOT RESPONSIBLE FOR ANY LOSS INCURRED BY THE GUEST WHO RELIES ON PRICES SET FORTH HEREIN OR ON THE AVAILABILITY OF ANY OF THE MATERIALS STATED HEREIN.** All information on this form, other than price, has been provided by guest and Menards is not responsible for any errors in the information on this estimate, including but not limited to quantity, dimension and quality. Please examine this estimate carefully. **MENARDS MAKES NO REPRESENTATIONS, ORAL, WRITTEN OR OTHERWISE THAT THE MATERIALS LISTED ARE SUITABLE FOR ANY PURPOSE BEING CONSIDERED BY THE GUEST. BECAUSE OF WIDE VARIATIONS IN CODES, THERE ARE NO REPRESENTATIONS THAT THE MATERIALS LISTED HEREIN MEET YOUR CODE REQUIREMENTS.**

**GUEST COPY  
 PAGE 3 OF 5**

Estimate From  
**MENARDS®**

Estimate # 99957  
 Page 4 of 5

ESTIMATE FOR:
Grover Propeties 8201 N Oak Ridge Dr Milton, WI 53563-9355
Ph: (608) 290-2070
PROJECT DESCRIPTION: garage

STORE # 3252 JANE  
 2001 Morse Street  
 Janesville, WI 53545

PHONE: (608) 756-0535  
 FAX: (608) 756-1764

ESTIMATE BY ESTIMATE DATE	
spb	07/18/16

SKU NUMBER	DESCRIPTION	QTY TO ORDER	ADDITIONAL ITEM INFORMATION
227-1507	1-1/2 JOIST HANGER NAIL HDG 1LB BOX 1# Tie Nails	3 EACH	
227-1647	RAFTER TIE RT15-TZ RAFTER TIES	22 EACH	
229-3672	1-1/2" VINYL SIDING NAIL 2LB BOX SIDING NAILS	2 EACH	
229-5347	8D V.C. SINKER NAIL 5LB BOX SHEATHING NAILS	5 BOX	
229-5363	16D V.C. SINKER NAIL 5LB BOX FRAMING NAILS	4 BOX	
229-5457	6D HDG BOX NAIL 1LB BOX GALV BOX NAILS	1 BOX	
229-5570	16D HDG BOX NAIL 5LB BOX FRAMING NAILS	1 BOX	
229-5648	16D HDG CASING NAIL 1LB BOX CASING NAILS	1 BOX	
229-5703	2-1/2" EGALV ROOFING NAIL 1LB BOX RDGEVNT NAILS	1 EACH	
229-5790	1-1/4" EGALV ROOFING NAIL 5LB BOX ROOFING NAILS	2 BOX	
230-0001	3-3/8" TRUSSLOK 50 PC FMTSL338-50 HEADER SCREWS	1 EACH	
231-2194	5/16" STAPLES 5010-C 5M HS WRAP STAPLE	1 EACH	
414-1075	CP1 FLUSH STEEL DOOR PH 36X80 LH SB SERVICE DOOR	1 EACH	
417-1621	GARAGE DOOR STOP WHITE 7' VINYL OH DOOR STOP	2 EACH	
417-1634	GARAGE DOOR STOP WHITE 9' VINYL OH DOOR STOP	1 EACH	

This is an estimate. It is given only for general price information. This is not an offer and there can be no legally binding contract between the parties based upon this estimate. The prices stated herein are subject to change depending upon the market conditions. The prices stated on this estimate are not firm for any time period unless specifically written otherwise on this form and are not inclusive of taxes, delivery, packaging or any other charges which may or may not need to be added when ultimately purchasing products from this estimate. The availability of materials is subject to inventory conditions. **MENARDS IS NOT RESPONSIBLE FOR ANY LOSS INCURRED BY THE GUEST WHO RELIES ON PRICES SET FORTH HEREIN OR ON THE AVAILABILITY OF ANY OF THE MATERIALS STATED HEREIN.** All information on this form, other than price, has been provided by guest and Menards is not responsible for any errors in the information on this estimate, including but not limited to quantity, dimension and quality. Please examine this estimate carefully. **MENARDS MAKES NO REPRESENTATIONS, ORAL, WRITTEN OR OTHERWISE THAT THE MATERIALS LISTED ARE SUITABLE FOR ANY PURPOSE BEING CONSIDERED BY THE GUEST. BECAUSE OF WIDE VARIATIONS IN CODES, THERE ARE NO REPRESENTATIONS THAT THE MATERIALS LISTED HEREIN MEET YOUR CODE REQUIREMENTS.**

**GUEST COPY  
 PAGE 4 OF 5**

Estimate From  
**MENARDS®**

Estimate # 99957  
 Page 5 of 5

ESTIMATE FOR:
Grover Properties 8201 N Oak Ridge Dr Milton, WI 53563-9355
Ph: (608) 290-2070
PROJECT DESCRIPTION: garage

STORE # 3252 JANE  
 2001 Morse Street  
 Janesville, WI 53545

PHONE: (608) 756-0535  
 FAX: (608) 756-1764

ESTIMATE BY ESTIMATE DATE	
spb	07/18/16

SKU NUMBER	DESCRIPTION	QTY TO ORDER	ADDITIONAL ITEM INFORMATION
417-1702	36X80X6-9/16 FRAME EXT KIT W/SILL EXT. SRVDOOR JAMBKIT	1 EACH	
417-9377	VINYL JAMB TRIM WHITE 7' 11/16X5-13/16 OH DOOR JAMB	2 EACH	
417-9380	VINYL JAMB TRIM WHITE 10' 11/16X5-13/16 OH DOOR JAMB	1 EACH	
417-9720	VINYL BRICK MLD WHITE 1-1/4"X2"X8' OHDR BRICKMOULD	2 EACH	
417-9733	VINYL BRICK MLD WHITE 1-1/4"X2"X10' OHDR BRICKMOULD	1 EACH	
425-1075	KEYED LOCK SET #1024050 OHDOOR LOCKSE	1 EACH	
425-1088	REAR TRACK HANGING KIT IDEAL REAR HANGER KIT	1 EACH	
425-1143	LOW HEADROOM KIT DOUBLE TRACK OVERHEAD DOOR	1 EACH	
425-1616	9X7 WHITE INSUL RAISEDPNLEZSETTORSN M4SV OVERHEAD DOOR	1 EACH	
433-4222	PINE TAPERED SHIMS 12 CT 3/8X1-1/4X8'' PACKS OF SHIMS	1 EACH	ON SALE THRU 07/23/16
563-4222	WL PAINTERS PREM WHITE 1.0 OZ WL0037700 CAULK	3 EACH	

\*\*\* If purchased today, you save \$19.06 \*\*\*

This is an estimate. It is given only for general price information. This is not an offer and there can be no legally binding contract between the parties based upon this estimate. The prices stated herein are subject to change depending upon the market conditions. The prices stated on this estimate are not firm for any time period unless specifically written otherwise on this form and are not inclusive of taxes, delivery, packaging or any other charges which may or may not need to be added when ultimately purchasing products from this estimate.

The availability of materials is subject to inventory conditions. **MENARDS IS NOT RESPONSIBLE FOR ANY LOSS INCURRED BY THE GUEST WHO RELIES ON PRICES SET FORTH HEREIN OR ON THE AVAILABILITY OF ANY OF THE MATERIALS STATED HEREIN.** All information on this form, other than price, has been provided by guest and Menards is not responsible for any errors in the information on this estimate, including but not limited to quantity, dimension and quality. Please examine this estimate carefully. **MENARDS MAKES NO REPRESENTATIONS, ORAL, WRITTEN OR OTHERWISE THAT THE MATERIALS LISTED ARE SUITABLE FOR ANY PURPOSE BEING CONSIDERED BY THE GUEST. BECAUSE OF WIDE VARIATIONS IN CODES, THERE ARE NO REPRESENTATIONS THAT THE MATERIALS LISTED HEREIN MEET YOUR CODE REQUIREMENTS.**

TODAY'S SUB-TOTAL:	4,019.12
REGULAR SUB-TOTAL:	4,038.18

**GUEST COPY**  
**PAGE 5 OF 5**


### Items Selected:

Gable roof w/ 4/12 pitch, Standard Trusses 2' O.C.  
Truss Design Location Zip Code: 53563  
2x6 Wall Framing Material  
16' Wide X 24' Deep X 8' High  
Vinyl Dbl 4" Lap Siding  
- H. Gray  
7/16" OSB Wall Sheathing  
Tygar Housewrap  
12" gable/12" eave overhangs  
1/2" OSB Roof Sheathing  
Oakridge, Driftwood Shingles  
O.C. Ventsure Ridge Vent  
White Aluminum Soffit & Fascia  
White Premium Roof Edge


### Options Selected:

The options you have selected are:  
15 LB Roof Felt  
2 Rows Granular Ice & Water Barrier  
1 - 9x7 Overhead Door - Insulated RP White  
1 - 36x80 Service Door - CP1 Flush Steel LS

Front View



Back View



**Estimated base price: \$2,952.99\***

The base price includes: 0" Eave/0" Gable Overhangs, Framing Materials, 7/16 OSB Roof Sheathing, 20 yr. Fiberglass Classic - Onyx Black Shingles, Pine Fascia, Galv Regular Roof Edge, 8" Textured Vertical Hardboard Siding, All selected overhead, service and sliding doors are included. Windows and other options are NOT included.

**Estimated price: \$4,019.12\***

\*Today's estimated price, future pricing may go up or down.


\*Tax, labor, and delivery not included.

**\*\*\* Take this sheet to the Building Materials counter to purchase your materials. \*\*\***


Floor type (concrete, dirt, gravel) is NOT included in estimated price. The floor type is used in the calculation of materials needed. Labor, foundation, steel beams, paint, electrical, heating, plumbing, and delivery are also NOT included in estimated price. This is an estimate. It is only for general price information. This is not an offer and there can be no legally binding contract between the parties based on this estimate. The prices stated herein are subject to change depending upon the market conditions. The prices stated on this estimate are not firm for any time period unless specifically written otherwise on this form. The availability of materials is subject to inventory conditions. MENARDS IS NOT RESPONSIBLE FOR ANY LOSS INCURRED BY THE GUEST WHO RELIES ON PRICES SET FORTH HEREIN OR ON THE AVAILABILITY OF ANY MATERIALS STATED HEREIN. All information on this form, other than price, has been provided by the guest and Menards is not responsible for any errors in the information on this estimate, including but not limited to quantity, dimension and quality. Please examine this estimate carefully. MENARDS MAKES NO REPRESENTATIONS, ORAL, WRITTEN OR OTHERWISE THAT THE MATERIALS LISTED ARE SUITABLE FOR ANY PURPOSE BEING CONSIDERED BY THE GUEST. BECAUSE OF THE WIDE VARIATIONS IN CODES, THERE ARE NO REPRESENTATIONS THAT THE MATERIALS LISTED HEREIN MEET YOUR CODE REQUIREMENTS. THE PLANS AND/OR DESIGNS PROVIDED ARE NOT ENGINEERED. LOCAL CODE OR ZONING REGULATIONS MAY REQUIRE SUCH STRUCTURES TO BE PROFESSIONALLY ENGINEERED AND CERTIFIED PRIOR TO CONSTRUCTION.

\*\*\* Here are the wall configurations for your design.


Illustration May Not Depict All Options Selected




Gable Front View  
(1) -



Gable Back View



Eave Front View



Eave Back View  
(1) -

Building Size: 16 feet wide X 24 feet long X 8 feet high

Approximate Peak Height: 11 feet 0 inches (132 inches)


NOTE: Overhead doors may need to be "Wind Code Rated" depending on your building location.

Confirm the door requirements with your local zoning official before construction.

Menards-provided material estimates are intended as a general construction aid and have been calculated using typical construction methods. Because of the wide variability in codes and site restrictions, all final plans and material lists must be verified with your local zoning office. Menards is a supplier of construction materials and does not assume liability for design, engineering or the completeness of any material lists provided. Underground electrical, phone and gas lines should be located and marked before your building plans are finalized. Remember to use safety equipment including dust masks and sight and hearing protection during construction to ensure a positive building experience.

\*\*\* Garage Floor Plan.

Illustration May Not Depict All Options Selected



Building Size: 16 feet wide X 24 feet long X 8 feet high


Note: Wall construction is 2x6 @ 16" on center



Midwest Manufacturing, Eau Claire, WI

1/5/20 @ May 1 2014 Milltek Industries, Inc. Wed Dec 31 14:10:31 2014 Page 1  
ID: rTmCqKUZkOAwEmY\_a0GfzD\_YL-90TX3Zw5v8Xpk2BblTP3S11386VbSupK0rYkY3QSk

2-0-0 2-0-0 0-0-0 4-4-14 4-4-14 3-7-2 8-0-0 3-7-2 11-7-2 4-4-14 16-0-0 2-0-0 18-0-0  
Scale = 1:34:



LOADING (psf)	SPACING	CSL	DEFL.	PLATES	GRIP
TCLL (roof) 42.0	Plates Increase 2-0-0	TC 0.47	in (loc) 8	MIT20	197/144
Snow (Ps/Pg) 41.6/60.0	Lumber Increase 1.15	BC 0.60	>999		
TCGL 10.0	Rep Stress Incr YES	WB 0.35	-0.22		
BCLL 0.0 *	Code IRC2012/PI2007	(Matrix)	6-8		
BCDL 10.0			>843		
			n/a		
			n/a		
				Weight: 51 lb	FT = 0

**LUMBER-**  
TOP CHORD 2x4 SPF No.2  
BOT CHORD 2x4 SPF No.2  
WEBS 2x3 SPF Stud

**REACTIONS:** (lb/size) 2=1189/0-3-8 (min. 0-1-14), 6=1189/0-3-8 (min. 0-1-14)  
Max Horz 2=-44(LC 15)  
Max Uplift 2=-128(LC 10), 6=-128(LC 11)  
Max Grav 2=1197(LC 2), 6=1197(LC 2)

**FORCES:** (lb) - Max. Comp/Max. Ten. - All forces 250 (lb) or less except when shown.  
TOP CHORD 2-9=-2075/199, 3-9=-1984/209, 3-4=-1550/134, 4-5=-1550/134,  
5-10=-1984/209, 6-10=-2075/199  
BOT CHORD 2-8=-125/1984, 6-8=-125/1984  
WEBS 3-8=-670/119, 4-8=0/509, 5-8=-670/119

**JOINT STRESS INDEX**  
2 = 0.82, 3 = 0.52, 4 = 0.46, 5 = 0.52, 6 = 0.82 and 8 = 0.31

**NOTES-**

- 1) Unbalanced roof live loads have been considered for this design.
- 2) Wind: ASCE 7-10; Vult=1.5mph (3-second gust) V(IRC2012)=91mph; TCCL=4.2psf; BCCL=6.0psf; h=25ft; Cat II; Exp B; enclosed; MWFRS (envelope) gable end zone and O-C Exterior(2) zone; cantilever left and right exposed; end vertical left and right exposed; C-C for members and forces & MWFRS for reactions shown; Lumber DOL=1.60 plate grip DOL=1.60
- 3) TLL: ASCE 7-10; Pr=42.0 psf (roof live load); Lumber DOL=1.15 Plate DOL=1.15; Pg=60.0 psf (ground snow); Ps=41.6 psf (roof snow; Lumber DOL=1.15 Plate DOL=1.15); Category II; Exp B; Fully Exp; Ct=1.1
- 4) Roof design snow load has been reduced to account for slope.

Structural wood sheathing directly applied or 3-10-3 cc purlins.  
Rigid ceiling directly applied or 1-0-0-0 cc bracing.  
MITek recommends that Stabilizers and required cross bracing be installed during truss erection, in accordance with Stabilizer Installation guide.